This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.









Fig. 2







3/15

Example 6			260 nm	180 nm							268	26%
			26	18								
Example 5	255°	0.76 µm	mu 055	160 nm	-	300			70°	700	70°	70°
Example 4			540 nm	140 nm							248	248
Example 3			950 nm	625 nm			-				32.9%	32.9%
Example 2	240°	0.81 µm	540 nm	615 nm		25°			70°	70°	70°	70°
Example 1			520 nm	605 nm		-					32.58	32.5%
	Twist angle 0t	Δnd	R2 And	R1 And	Angle formed by	absorption axis and	optical axis of R2 01	Angle formed by	Angle formed by optical axes of R1 and	Angle formed by optical axes of R1 and R2 02	Angle formed by optical axes of R1 and R2 02 Brightness in	Angle formed by optical axes of R1 and R2 02 Brightness in reflection



Fig. 5







Fig. 6



5/15

-т		· 	· T	\neg			I				· ·			l
Example 12	255°	0.74 µm	mr 095	120 nm	10°			50°			45%		21	
Example 11	255°	0.74 µm	550 nm	130 nm	100			200			448		20	
Example 10	240°	mu 67.0	620 nm	170 nm	15°			400			328		18	
Example 9	240°	mm 67.0	610 nm	160 nm	15°			400			328		17	
Example 8	240°	0.81 µm	mu 099	180 nm	30°			30°			30%	· :	19	
Example 7	240°	0.81 µm	650 nm	190 nm	300			30°			318		18	
	Twist angle 0t	Δnd	R2 And	R1 And	Angle formed by	absorption axis and	optical axis of R2 01	Angle formed by	optical axes of R1 and	R2 02	Brightness in	reflection	Contrast	





7/15 Fig. 10





Fig. 11



i g. 12




Fig. 13






Fig. 14



10/15

i g. 15



11/15

Fig. 16





Fig. 1



Inventor(s): Chiyoaki IIJIMA Atty. Ref.: 9319S-199DVA

12/15

Fig. 18






Fig. 19





13/15 Fig. 21




Fig. 22





Fig. 23



15/15.

Fig. 24(a)




Fig. 24(b)




Fig. 24(c)

